



Product name:
INGEO™ BIOPOLYMER

Product code: 3D450 **Revision Number:** 6 **Revision date:** 08/30/2022 **Print date:** 06/16/2023

SAFETY DATA SHEET

In accordance with 29 CFR 1910.1200:2012, ANSI Z400.1-2010, and ISO 11014-1: 2009.
In accordance with WHMIS 2015.

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Product name: INGEO™ BIOPOLYMER
Product code: 3D450
Product Use: A biopolymer to be used in 3D printing applications

Supplier:
NatureWorks
17400 Medina Rd, Suite# 800
Plymouth, MN 55447
sdsinquiry@natureworksllc.com
+1-952-562-3450

Emergency telephone numbers (24 hours a day):

(Medical Information) +1-(651)-632-9273
(Transportation Information) CHEMTREC: +1-(800)-424-9300 (in the United States)
(Transportation Information) CHEMTREC: +1-(703)-527-3887 (outside the United States)

2. HAZARDS IDENTIFICATION

Classification: This product is not considered hazardous by either the US 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200) or the Canadian Workplace Hazardous Material Information System (WHMIS 2015)

Signal word: None

Hazard Statements: None

Precautionary Statements: None

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.

Product name:
 INGEO™ BIOPOLYMER
Product code:
 3D450

Revision Number: 6 **Revision date:**
 08/30/2022

Print date:
 06/16/2023

Potential health effects: See Section 11 for more information

Environmental precautions: See Section 12 for more information

Other hazards: May form combustible dust concentrations in air if small particles are generated during further processing, handling or by other means Refer to protective measures listed in Sections 7 and 8

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical name and CAS	Weight-%	OSHA Exposure Limits:	ACGIH Exposure Limits:
Polylactide resin 9051-89-2	90 - 100%	None	None
Magnesium Silicate 14807-96-6	0 - 10%	20 mppcf TWA-PEL mppcf=million particles per cubic foot. This value is for magnesium silicate containing no asbestos and less than 1% quartz.	2 mg/m ³ TWA-TLV (respirable fraction) This value is for particulate matter containing no asbestos and less than 1% quartz.

All ingredients in quantities > 1.0% (0.1% for carcinogens) that are potentially hazardous per OSHA definitions.

Other Standards: This material can generate Particulates Not Otherwise Classifiable (PNOC). The Occupational Safety and Health Administration (OSHA) PEL/TWA for PNOC is 15 mg/m³ for total dust and 5 mg/m³ for the respirable fraction. The American Conference of Governmental Industrial Hygienists (ACGIH) TLV/TWA for PNOC is 10 mg/m³ for inhalable particulates and 3 mg/m³ for respirable particulates.

4. FIRST AID MEASURES

Emergency telephone numbers (24 hours a day):
 (Medical Information) +1-(651)-632-9273
 (Transportation Information) CHEMTREC: +1-(800)-424-9300 (in the United States)
 (Transportation Information) CHEMTREC: +1-(703)-527-3887 (outside the United States)

Eye contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Call a physician immediately.

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.

Product name:
INGEO™ BIOPOLYMER

Product code:
3D450

Revision Number: 6 **Revision date:**
08/30/2022

Print date:
06/16/2023

Skin contact: Adverse human health effects and symptoms. Not expected. After contact with skin, wash immediately with plenty of water. If skin irritation persists, call a physician. Cool skin rapidly with cold water after contact with hot polymer. Do not try to removed solidified material from the skin. Do not remove clothing if adhering to skin. Call a physician immediately.

Inhalation: Move to fresh air. Call a physician immediately.

Ingestion: Drink water as a precaution. Never give anything by mouth to an unconscious person. Do not induce vomiting without medical advice. Call a physician immediately.

Notes to physician Treat symptomatically.

5. FIRE-FIGHTING MEASURES

Flammability:

Autoignition temperature: Not determined

Flammability Limits in Air:

Flammable limits in air - lower (%): Not applicable

Flammable limits in air - upper (%): Not applicable

Suitable extinguishing media: Foam, Water, Carbon dioxide (CO₂), Dry chemical, Preferably extinguish with alcohol-resistant foam. If alcohol-resistant foam is not available, use normal foam.

Unsuitable extinguishing media: None known

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Specific hazards: None known.

Under fire conditions: Cool containers / tanks with water spray. Water mist may be used to cool closed containers. Dust deposits should not be allowed to accumulate on surfaces, as these may form an explosive mixture if they are released into the atmosphere in sufficient concentration. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).

6. ACCIDENTAL RELEASE MEASURES

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.



Product name:
INGEO™ BIOPOLYMER

Product code:
3D450

Revision Number: 6 **Revision date:**
08/30/2022

Print date:
06/16/2023

Personal precautions: Use personal protective equipment. Avoid contact with skin and eyes. Avoid dust formation. Remove all sources of ignition. Sweep up to prevent slipping hazard.

Environmental precautions: Do not flush into surface water or sanitary sewer system. Do not allow material to contaminate ground water system.

Methods for cleaning up: Eliminate all ignition sources. Use explosion-proof equipment. Dust can be a fire or explosion hazard. Vacuum or sweep material and place in a disposal container. Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Safe handling advice: Use personal protective equipment as required. Avoid contact with skin and eyes. Low hazard for usual industrial or commercial handling. After contact with molten product, cool skin area rapidly with cold water. Do not try to remove solidified material from the skin. Do not remove clothing if adhering to skin. Avoid dust formation. May form combustible dust concentrations in air if small particles are generated during further processing, handling or by other means.

Storage: Store at temperatures not exceeding 50 °C/ 122 °F. Keep cool. No special restrictions on storage with other products.

Precautions: No special precautions required

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure controls:

Engineering measures: Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. Provide appropriate exhaust ventilation at places where dust is formed.

Exposure limits: Not Established. This material can generate Particulates Not Otherwise Classifiable (PNOC). The Occupational Safety and Health Administration (OSHA) PEL/TWA for PNOC is 15 mg/m³ for total dust and 5 mg/m³ for the respirable fraction. The American Conference of Governmental Industrial Hygienists (ACGIH) TLV/TWA for PNOC is 10 mg/m³ for inhalable particulates and 3 mg/m³ for respirable particulates.

Magnesium Silicate

OSHA Exposure Limits: 20 mppcf TWA-PEL

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.

Product name:
INGEO™ BIOPOLYMER

Product code:
3D450

Revision Number: 6 **Revision date:**
08/30/2022

Print date:
06/16/2023

ACGIH Exposure Limits: mppcf=million particles per cubic foot. This value is for magnesium silicate containing no asbestos and less than 1% quartz.
2 mg/m³ TWA-TLV (respirable fraction)
This value is for particulate matter containing no asbestos and less than 1% quartz.

Personal protective equipment:

Eye protection: Safety glasses with side-shields; Goggles

Skin and body protection: Impervious clothing

Hand protection: Preventive skin protection.

Hygiene measures: Avoid contact with skin, eyes and clothing.

Respiratory protection: Respirator must be worn if exposed to dust. Wear respirator with dust filter. Respiratory protection is needed if any of the exposure limits in Section 3 are exceeded. Consult an industrial hygiene professional prior to respirator selection and use. Use a positive-pressure air supplied respirator if there is any potential for an uncontrolled release, exposure levels are not known, or any other circumstances where air-purifying respirators may not provide adequate protection. **WARNING:** Air purifying respirators do not protect workers in oxygen-deficient atmospheres.

Special hazard: Workers should be protected from the possibility of contact with molten material during fabrication. Contact with molten substance may cause severe burns to skin and eyes

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.

Product name:
INGEO™ BIOPOLYMER

Product code:
3D450

Revision Number: 6 **Revision date:**
08/30/2022

Print date:
06/16/2023

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state:	Solid
Appearance:	pellets
Color:	Off-white
Odor:	Sweet
pH:	Not applicable
Vapor pressure:	Not determined
Vapor density:	Not determined
Evaporation rate:	Not determined
Partition Coefficient (n-octanol/water):	Not determined
Density:	1.32 g/cc @ 20 °C, 101.3 kPa
Decomposition temperature:	482°F / 250°C @ 101.3 kPa
Boiling point / boiling range:	Not applicable
Melting point / melting range:	Tg (Glass Transition Temperature) 131-140°F / 55-60°C @ 101.3 kPa
Autoignition temperature:	Not determined
Flash point:	Not determined
Flammability:	Fine dust dispersed in air may ignite
Flammability Limits in Air:	No information available
Water solubility:	Insoluble
Solubility in other solvents:	Not determined
Solubility:	Not determined

10. STABILITY AND REACTIVITY

Reactivity: None under normal use conditions.

Chemical stability: Stable under recommended storage conditions.

Conditions to avoid: Temperatures above 446F (230 °C), Avoid keeping resin molten for excessive periods at temperatures above 230°C, Prolonged exposure above 230°C will cause polymer degradation

Materials to avoid: Oxidizing agents, Strong bases

Hazardous decomposition products: Burning produces obnoxious and toxic fumes, Aldehydes, Carbon monoxide (CO), Carbon dioxide (CO₂)

Possibility of hazardous reactions: None under normal use conditions.

Polymerization: Not applicable

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.

Product name:
INGEO™ BIOPOLYMER

Product code:
3D450

Revision Number: 6 **Revision date:**
08/30/2022

Print date:
06/16/2023

11. TOXICOLOGICAL INFORMATION

Principle routes of exposure: Eye contact, Skin contact, Inhalation, Ingestion.

Acute toxicity: No data is available on the product itself.

Magnesium Silicate

Inhaled talc not containing asbestos or asbestiform fibers: 3 - Not classifiable
Talc-based body powder for perineal dusting: 2B - Possibly carcinogenic to humans

Skin: No data is available on the product itself.

Ingestion: No data is available on the product itself.

Target organ effects: Not determined

Local effects: Product dust may be irritating to eyes, skin and respiratory system. Resin particles, like other inert materials, are mechanically irritating to eyes. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea.

Specific effects: May cause skin irritation and/or dermatitis. Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Inhalation of dust may cause shortness of breath, tightness of the chest, a sore throat and cough. Burning produces irritant fumes.

Long term toxicity: No data available

Mutagenic effects: No data is available on the product itself.

Reproductive toxicity: No data is available on the product itself.

Carcinogenic effects: Component(s) of this product are listed as suspected carcinogens by IARC, NTP, or OSHA.

Magnesium Silicate

CAS No 14807-96-6

Carcinogenic effects: IARC group: Inhaled talc not containing asbestos or asbestiform fibers: 3 - Not classifiable
Talc-based body powder for perineal dusting: 2B - Possibly carcinogenic to humans
National Toxicology Program (NTP): Status Not listed by NTP, ACGIH, OSHA, or NIOSH

Further information: No information available

12. ECOLOGICAL INFORMATION

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.

Product name:
INGEO™ BIOPOLYMER

Product code:
3D450

Revision Number: 6 **Revision date:**
08/30/2022

Print date:
06/16/2023

Ecotoxicity effects: No data is available on the product itself.

Persistence and degradability: No data is available on the product itself.

Bioaccumulation: Not likely to bioaccumulate

Mobility: No data available

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products: In accordance with local and national regulations. Should not be released into the environment. Do not contaminate ponds, waterways or ditches with chemical or used container. Contact manufacturer.

Contaminated packaging: Empty remaining contents. Do not re-use empty containers. Empty containers should be transported/delivered using a registered waste carrier to local recyclers for disposal.

THE COMPANY HAS NO CONTROL OVER THE MANAGEMENT PRACTICES OR MANUFACTURING PROCESSES OF PARTIES HANDLING OR USING THIS MATERIAL. THE INFORMATION PRESENTED HERE PERTAINS ONLY TO THE PRODUCT AS SHIPPED IN ITS INTENDED CONDITION.

14. TRANSPORT INFORMATION

U.S. Department of Transportation (DOT):

Proper shipping name: None
Hazard class: Not regulated
UN-No: None
Packing group: None

IMDG:

Proper shipping name: None
Hazard class: Not regulated
UN/Id No.: None
Packing group: None

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.

Product name:
INGEO™ BIOPOLYMER

Product code:
3D450

Revision Number: 6 **Revision date:**
08/30/2022

Print date:
06/16/2023

ICAO/IATA:

Proper shipping name: None
Hazard Class: Not regulated
UN-No.: None
Packing group: None

15. REGULATORY INFORMATION

(not meant to be all inclusive - selective regulations represented)

Regulatory requirements are subject to change and may differ between locations. It is the User's responsibility to ensure that all activities comply with all federal, state or provincial and local laws and regulations. The following specific information is made for the purpose of complying with numerous national, federal, state or provincial, and local laws and regulations. See other sections for health and safety information.

U.S. REGULATIONS

US TSCA Inventory listing: The components of this product listed in Section 3 are listed. All naturally occurring components of this product are automatically included in the USEPA TSCA inventory list per 4- CFR 710.4 (b).

SARA Title III Rules: Not Listed

STATE REGULATIONS

MA: Component(s) of this product are listed.
NJ: Component(s) of this product are listed.
PA: Component(s) of this product are listed.

California Proposition 65: WARNING This product can expose you to chemicals including Quartz, which is [are] known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov

INTERNATIONAL INVENTORIES

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OF THE LAST REVISION

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.



Product name:
INGEO™ BIOPOLYMER

Product code:
3D450

Revision Number: 6 **Revision date:**
08/30/2022

Print date:
06/16/2023

Label information: INGEO™ BIOPOLYMER
Product code: 3D450

Reason for revision: Document Review

Revision Number: 6
Revision date: 08/30/2022
Print date: 06/16/2023

Recommended restrictions: None
Prepared by: NatureWorks LLC Health and Safety

NOTICE REGARDING APPLICATION RESTRICTIONS:

The company does not recommend any of its products, including samples, for use: (A) in any application which is intended for any internal contact with human body fluids or body tissues (B) as a critical component in any medical device that supports or sustains human life; and (C) specifically pregnant women or in any applications designed specifically to promote or interfere with human reproduction. Components of products intended for human or animal consumption.

The information in this Safety Data Sheet (SDS) is provided in good faith and believed to be accurate. This SDS contains a general summary of hazards known to NatureWorks, but does not purport to describe every hazard that exists. NatureWorks and its subsidiaries ("NatureWorks") expect each customer or user of its products (each, a "User") to study this SDS carefully and consult appropriate expertise to become aware of any hazards associated with NatureWorks products. NATUREWORKS MAKES NO WARRANTY, EXPRESS OR IMPLIED, REGARDING THE INFORMATION CONTAINED HEREIN OR ITS PRODUCTS, INCLUDING BUT NOT LIMITED TO ANY WARRANTY AS TO ACCURACY OF COMPLETENESS OF INFORMATION, OR ANY IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Ingeo and the Ingeo logo are trademarks or registered trademarks of NatureWorks LLC in the USA and other countries.